

SAFETY DATA SHEET

1. Identification

Product identifier	CIRCLESOL M™	
Other means of identification	Not available.	
Recommended use	Non-destructive testing.	
Recommended restrictions	None known.	
Manufacturer / Importer / Supplier / Distributor information		
Company name	Circle Systems, Inc.	
Address	1210 Osborne Road	
	St. Marys, GA 31558	
Telephone	912-729-2735	
E-mail	customerservice@circlesafe.com	
Emergency phone number	Chem-tel	800-255-3924 (US & Canada); +1-813-248-0585 (International)

2. Hazard(s) identification

Health hazards	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards		
Label elements		
Signal word	Danger	
Hazard statement	May be fatal if swallowed and	enters airways.
Precautionary statement		
Prevention	Keep away from heat/sparks/o well-ventilated area. Avoid rele	pen flames/hot surfaces No smoking. Use only outdoors or in a ease to the environment.
Response	If swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting.	
Storage	Store locked up.	
Disposal	Dispose of contents/container	in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Not classified.	

3. Composition/information on ingredients

hemical name	CAS number	%
Distillates (petroleum), Hydrotreated Light	64742-47-8	100

Inhalation	If symptoms develop move victim to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed Indication of immediate medical attention and special treatment needed	Diarrhea. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Skin irritation. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

	5. Fire-fighting measures	
1	Suitable extinguishing media	Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).
	Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
	Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
	Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
	Fire-fighting	Not applicable.

equipment/instructions	
Specific methods	Not applicable.
General fire hazards	NFPA Class IIIB combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning upRefer to attached safety data sheets and/or instructions for use. Eliminate all igni smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, away from spilled material. The product is immiscible with water and will spread or surface. Stop leak if you can do so without risk. Move the container to a safe and leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Or plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and p 	
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.
7. Handling and storage	
Precautions for safe handling	Do not smoke while using. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame sparks, or other sources of ignition. Ground and bond containers when transferring material. Use only in well-ventilated areas. Do not re-use empty containers. Avoid breathing mist or vapor. Avoid prolonged or repeated contact with skin.
Conditions for safe storage, including any incompatibilities	Ambient temperature and pressure.
	Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)	TWA	100 mg/m3	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measur Eye/face protection	es, such as personal protective equencies of the second seco	•	
Skin protection			
Hand protection	Wear appropriate chemical resista	nt gloves.	
Other	Wear suitable protective clothing.		
Respiratory protection		ally required except in emergencies or when conditions cause r vapors – then use a chemical respirator with organic vapor	
		c ciounny, which hecessary.	
General hygiene considerations		s observe good personal hygiene measures, such as washing ore eating, drinking, and/or smoking. Routinely wash work to remove contaminants.	

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Water white.
Odor	Slight petroleum odor.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	<-68°C, <-90.°F
Initial boiling point and boiling	239-276°C, 464-528°F
range Flash point	109 °C (229 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit – lower	1.2%
(%) Flammability limit – upper	6%
(%) Explosive limit - lower (%)	Not available.
Explosive limit – lower (%)	
Explosive limit – upper (%)	Not available.
Vapor pressure	0.02 mm Hg @ 20 °C (68°F)
Vapor density	6.7
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient	Not available.
(n-octanol/water) Auto-ignition temperature	216°C,421°F

Decomposition temperature	Not available.
Viscosity	4.1 cSt @ 20°C, 68°F
Other information	
VOC (Weight %)	815-821 g/l

10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions Conditions to avoid	No dangerous reaction known under conditions of normal use. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known. Hazardous gases and vapors produced in fire are oxides of carbon.

11. Toxicological information

Information on likely routes of exposure

Ingestion Inhalation Skin contact	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Expected to be a low ingestion hazard. May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system. Prolonged inhalation may be harmful. May cause skin irritation.
Eve contact	Causes eve irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Diarrhea. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Irritation of eyes and mucous membranes. Skin irritation.

Information on toxicological effects

Acute toxicity

May be fatal if swallowed and enters airways. Narcotic effects.

Components	Species	Test Results		
Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)				
Acute				
Dermal				
LD50	Rabbit	> 2000 mg/kg, bw		
Inhalation				
LC50	Rat	> 5.28 mg/l, 4 hours		
Oral				
LD50	Rat	> 5000 mg/kg, bw		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.			
Serious eye damage/eye irritation Respiratory or skin sensitization	Direct contact with eyes may cause temporary irritation.			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)				
Not listed.				
Reproductive toxicity	Not expected to be a reproductive hazard.			
Specific target organ toxicity – single exposure	May cause drowsiness and dizziness.			
Specific target organ toxicity – repeated exposure	Not classified.			
Aspiration hazard	May be fatal if swallowed and enters air	rways.		
Chronic effects	Prolonged inhalation may be harmful.			

Toxic to aquatic life. No data is available on the degradability of this product. No data available. No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
No data available. No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation
No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation
No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation
IS
Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
nce List (40 CFR 302.4)
authorization Act of 1986 (SARA)
Immediate Hazard – No
Delayed Hazard – No
Fire Hazard – Yes
Pressure Hazard – No
Reactivity Hazard – No
Not listed.
Νο
112 Hazardous Air Pollutants (HAPs) List
112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.
Not regulated.

US New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)

US Pennsylvania RTK - Hazardous Substances

Distillates (petroleum), Hydrotreated Light (CAS 64742-47-8)

US Rhode Island RTK

Not regulated.

US California Proposition 65

WARNING: This product does not contain chemicals known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

None.

International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision		
Issue date	11-November-2014	
Revision date	14-February-2019	
Version #	05	
HMIS [®] ratings	Health: 1 Flammability: 1 Physical hazard: 0	
NFPA Ratings		
List of abbreviations	LC50: Lethal Concentration, 50%. LD50: Lethal Dose, 50%. TWA: Time weighted average	
References	HSDB [®] - Hazardous Substances Data Bank	
Disclaimer	The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.	



Your Complete Source for Testing Equipment Since 1969! www.BergEng.com Berg Engineering & Sales Company, Inc.

1-847-577-3980 Info@BergEng.com