

SAFETY DATA SHEET

1. Identification

Product identifier CIRCLESAFE® 778A

Other means of identification None

Recommended use Non-destructive testing.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Company nameCircle Systems, Inc.Address1210 Osborne Road

Saint Marys, GA 31558

Telephone 912-729-2735

E-mail customerservice@circlesafe.com

Emergency phone number Chem-tel 800-255-3924 (US & Canada); +1-813-248-0585 (International)

2. Hazard(s) identification

Physical hazardsGases under pressureCompressed gasHealth hazardsReproductive toxicityCategory 1B

OSHA defined hazards

Label elements



Not classified.

Signal word Danger

Hazard statement Contains gas under pressure; may explode if heated. May damage fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response If exposed or concerned: Get medical advice/attention. If in eyes: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Storage Store locked up. Protect from sunlight. Store in a well-ventilated place.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%	
Boric Acid	10043-35-3	<1	
Carbon Dioxide	124-38-9	<5	
Iron Oxide	1317-61-9	<5	

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

CIRCLESAFE® 778A SDS US 916036 Version #: 03 Revision date: 30-January-2019 Issue date: 29-October-2013 1 / 7

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the

Most important symptoms/effects, acute and lungs. Get medical attention if symptoms occur.

delayed

High concentrations: Inhalation of propellant may cause respiratory irritation, dizziness, nausea, or drowsiness.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If exposed or concerned: Get medical advice/attention.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

firefighters Fire-fighting

equipment/instructions

Containers should be cooled with water to prevent vapor pressure build up.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep upwind. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will spread on the water surface. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Avoid inhalation of aerosols. Use only in well-ventilated areas. Do not re-use empty containers.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Contents under pressure. Do not handle or store near an open flame, heat or other sources of ignition. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Protect from direct sunlight. Do not puncture, incinerate or crush. Store away from incompatible materials (see Section 10 of the SDS).

CIRCLESAFE® 778A SDS US Issue date: 29-October-2013 2/7

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	PEL	5000 ppm	

US ACGIH Threshold Limit Values

Components	Туре	Value	Form
Boric acid (CAS 10043-35-3)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm	
,	TWA	5000 ppm	
US NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3 30000 ppm	
	TWA	9000 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

5000 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Aerosol. Color Dark green.

Odor Slight. Detergent like.

Odor threshold Not available.

pН 8-9

Melting point/freezing point Not available.

Initial boiling point and boiling range

Not available.

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not relevant.

CIRCLESAFE® 778A Issue date: 29-October-2013

916036 Version #: 03 Revision date: 30-January-2019 3/7

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not relevant. Explosive limit – upper (%) Not relevant.

Vapor pressure Not available. Vapor density Not available. Specific gravity 1 (68°F (20°C))

Solubility(ies)

Solubility (water) Soluble. **Partition coefficient** Not available.

(n-octanol/water)

Not relevant. **Auto-ignition temperature Decomposition temperature** Not relevant. Not available. **Viscosity**

Other information

VOC (Weight %) Not applicable.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal temperature conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard. Inhalation May cause irritation to the respiratory system.

Skin contact May cause skin irritation. Eye contact May cause eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics High concentrations: Inhalation of propellant may cause respiratory irritation, dizziness, nausea,

or drowsiness.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components **Species Test Results**

Boric acid (CAS 10043-35-3)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 2660 mg/kg

Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt (CAS 577-11-7)

Acute Oral

LD50 Mouse 2.64 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

CIRCLESAFE® 778A SDS US Issue date: 29-October-2013

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard

No data available.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product.

Mobility in soil

Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

14. Transport information

DOT

UN1950 **UN** number

Aerosols Non-Flammable UN proper shipping name

Transport hazard class(es) 2.2 Subsidiary classes

Limited Quantity, Class 2.2 Label(s)

Packing group Y203

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging exceptions Packaging non-bulk None. Packaging bulk None.

IATA

UN number UN1950

UN proper shipping name Aerosols Non-Flammable

Transport hazard class(es) 2.2 Subsidiary class(es)

Label(s) Limited Quantity, Class 2.2

Y203 Packing group **Environmental hazards** No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

CIRCLESAFE® 778A SDS US Issue date: 29-October-2013

IMDG

UN number UN1950

UN proper shipping name Aerosols Non-Flammable

Transport hazard class(es) 2.2 Subsidiary class(es)

Limited Quantity, Class 2.2 Label(s)

Packing group Y203

Environmental hazards

Marine pollutant No.

Not available. **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

This substance/mixture is not intended to be transported in bulk.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard - No

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name **CAS** number **Threshold** Reportable **Threshold Threshold** quantity planning quantity planning quantity, planning quantity, lower value upper value 100 Formaldehyde 50-00-0 500 lbs

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US Massachusetts RTK - Substance List

Carbon dioxide (CAS 124-38-9)

US New Jersey Worker and Community Right-to-Know Act

Carbon dioxide (CAS 124-38-9) Boric Acid (CAS 10043-35-3)

CIRCLESAFE® 778A SDS US Issue date: 29-October-2013

US Pennsylvania RTK - Hazardous Substances

Carbon dioxide (CAS 124-38-9)

US Rhode Island RTK

Not regulated.

US California Proposition 65

WARNING: This product does contain a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date29-October-2013Revision date30-January-2019

Version # 03 HMIS® ratings He

Health: 1 Flammability: 0

Physical hazard: 0

NFPA Ratings



List of abbreviations LD50: Lethal Dose, 50%.

PEL: Permissible exposure limit. STEL: Short term exposure limit. TWA: Time weighted average.

References HSDB® - Hazardous Substances Data Bank

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation

or warranty express or implied.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).